

# TOSHIBA

**e-STUDIO330AC**

**e-STUDIO400AC**

## Datasheet

---

- Professional A4 colour multifunctional systems with print speed up to 40 pages/minute making it the perfect first step into digital document management.
- Various integration possibilities thanks to powerful e-BRIDGE Next system platform.
- Easy to operate due to individually designable user interface and additional individual programming solutions.
- Highest protection of sensitive data through multiple security features such as hard disk encryption and access authorizations.
- Environmental protection on a new level: low energy consumption and energy-saving mode help to preserve resources.



# Specifications

## General

<b>Print &amp; Copy Speed</b>	33/40 ppm
<b>Warm-up Time</b>	~ 18 seconds from low power mode
<b>Paper Size &amp; Weight</b>	Cassette: A5-A4, 60-256 g/m <sup>2</sup> Bypass: 98 x 148 mm - A4, 52-256 g/m <sup>2</sup> , Banner paper: up to 215 x 1,320 mm, 90-163 g/m <sup>2</sup>
<b>Paper Capacity</b>	Cassettes: 550 sheets, Bypass: 1x 100 sheets Max. 3,200 sheets
<b>Inner Output Tray</b>	250-sheet capacity
<b>Automatic Duplex</b>	A5-A4, 60-256 g/m <sup>2</sup>
<b>Controller Type</b>	Toshiba e-BRIDGE Next
<b>Control Panel</b>	26 cm (10.1") Multi-Touch Colour Panel
<b>Memory</b>	Toshiba Secure HDD 320 GB <sup>2)</sup> , 4 GB RAM
<b>Interface</b>	10Base-T/100Base-TX/1000Base-T, High Speed USB 2.0, WLAN <sup>1)</sup> , Bluetooth <sup>1)</sup> , Wi-Fi Direct <sup>1)</sup>
<b>Dimensions &amp; Weight</b>	520 x 540 x 634 mm (W x D x H), ~ 53 kg

## Print

<b>Resolution</b>	600 x 600 dpi, 3 bit, 1,200 x 1,200 dpi, 1 bit with PostScript driver only
<b>Page Description Language</b>	PCL5e, PCL5c, PCL6 (PCL XL), XPS, PDF and PostScript 3 compatible
<b>Supported Systems</b>	Windows 10/8.1, Windows Server 2019 (64 bit)/Server 2016/Server 2012 R2/Server 2012, Mac OS X 10.7.5-10.15, Linux/Unix, Citrix, Novell SLES, SAP, AS/400
<b>Network Protocols</b>	TCP/IP (IPv4/IPv6), IPX/SPX, EtherTalk, NetBios over TCP/IP
<b>Colour Modes</b>	Auto-Colour (ACS), Colour, Twin Colour, Monochrome
<b>Colour Settings</b>	ICC profile colour management, RGB substitution, Brightness, Saturation, Contrast, Colour Balance
<b>Mobile Printing</b>	e-BRIDGE Print & Capture, AirPrint, Mopria Print Service, Google Cloud Print
<b>Print Functions</b>	Universal Printer Driver, Driver Templates, Driver plug-ins <sup>1)</sup> , Print from USB, Hold print, Tandem printing, E-mail direct printing

## Scan

<b>Resolution</b>	Max. 600 x 600 dpi
<b>Scan Speed</b>	Dual Scan Document Feeder (DSDF): up to 80 ipm in colour and 116 ipm in monochrome (300 dpi/duplex)
<b>Scan Modes</b>	Auto-Colour (ACS), Colour, Greyscale, Monochrome
<b>File Formats</b>	JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim PDF, PDF/A, PDF/A-2, Searchable PDF <sup>1)</sup> (and other formats like DOCX, XLSX) <sup>1)</sup>
<b>Scan Functions</b>	WS Scan, Scan to USB, Scan to E-mail, Scan to File (SMB, FTP, FTPS, IPX/SPX, Local), Meta Scan <sup>1)</sup> , OCR scan <sup>1)</sup> , Scan to Box (e-Filing), WIA, TWAIN

## Copy

<b>Resolution</b>	Scan: 600 x 600 dpi monochrome, 300 x 600 dpi colour Print: 600 x 600 dpi, 3 bit, equiv. 2,400 x 600 dpi with smoothing (monochrome only)
<b>First Copy Output Time</b>	Colour: ~ 7.2/6.3 seconds Monochrome: ~ 5.7/5.1 seconds
<b>Zoom</b>	Platen: 25-400%, DSDF: 25-200%
<b>Copy Modes</b>	Text, Text/Photo, Photo, Printed Image, Map, Image Smoothing
<b>Colour Modes</b>	Auto-Colour (ACS), Full Colour, Twin Colour, Mono Colour, Monochrome
<b>Colour Settings</b>	Hue, Saturation, Colour Balance, RGB adjustment, 5 one-touch modes
<b>Copy Functions</b>	Electronic Sort, ID Card Copy, Edge Erase, 2-in-1 / 4-in-1 mode

## Fax<sup>1)</sup>

<b>Communication</b>	Super G3, Internet Fax T.37
<b>Transmission Speed</b>	~ 3 seconds per page
<b>Compression</b>	JBIG, MMR, MR, MH
<b>Fax Memory</b>	1 GB Transmission/Reception
<b>Network-Fax</b>	Driver for Windows 10/8.1 (32/64 bit), Windows Server 2019/Server 2016/Server 2012 R2/Server 2012
<b>Incoming Fax Routing</b>	To shared folders (SMB, FTP), E-mail, e-Filing

## System & Security

<b>Device Management</b>	Top Access for remote administration and configuration
<b>System Features</b>	e-Filing document server for secure storage, Document distribution and Print-on-Demand (1 public box, 200 user boxes), 12,060 one-touch templates for storage of personalised settings or workflows, Scan/Fax Preview, Rip-while-Print, e-BRIDGE Open Platform, Embedded Web Browser, Job Skip, PCL Barcode printing, e-BRIDGE Plus embedded apps
<b>Accounting &amp; Security</b>	Role Based Access, LDAP support, 1,000 department & 10,000 user codes, Card Reader <sup>1)</sup> , Private print, Standard data encryption with Toshiba Secure HDD, Data Overwrite Enabler <sup>1)</sup> , IP and MAC address filter, Port filter, Support of SSL and IPsec <sup>1)</sup> protocols, IEEE802.1x support, CC certified (ISO/IEC15408) with HCD-PP v1.0 <sup>1)</sup> , Scan to Secure PDF, Pull-printing <sup>1)</sup>



<sup>1)</sup> Optional.

<sup>2)</sup> 1 GB = 1 billion bytes; the actual formatted capacity is less.  
Available capacity will also be less if software applications are pre-installed.


## Options

PAPER FEED UNIT (PFU) - MY-1050	1x 550-sheet capacity, A5-A4, 60-256 g/m <sup>2</sup> , 520 x 540 x 147 mm (W x D x H), ~ 7.5 kg
LARGE CAPACITY FEEDER (LCF) - KD-1071	1x 2,000-sheet capacity, A4, 60-256 g/m <sup>2</sup> , 605 x 578 x 427 mm (W x D x H), ~ 29 kg
DESK - MH-4000	605 x 578 x 427 mm (W x D x H), ~ 15.8 kg
SPACER - GR-1380	520 x 540 x 132 mm (W x D x H), ~ 5.2 kg
CASTER - GR-1390	605 x 578 x 164 mm (W x D x H), ~ 12 kg
OFFLINE STAPLER - MJ-1047	Offline Stapler (20 sheets)
PANEL TEN-KEY OPTION - GR-1340	
HARD DISK DRIVE 320 GB <sup>3)</sup> - GE-1230	FIPS 140-2 Standard
FAX BOARD - GD-1370EU	
WIRELESS LAN/BLUETOOTH MODULE - GN-4030	(incl. Wi-Fi Direct)
e-BRIDGE ID-GATE - TWN4	
ACCESSIBLE ARM - KK-2560	
CARD READER HOLDER - GR-1400	

## Licences

MULTI STATION PRINT - GS-1090NODE
DATA OVERRWRITE ENABLER - GP-1070NODE
IPsec ENABLER - GP-1080NODE
HARD COPY SECURITY KIT - GP-1190NODE
MONOTYPE FONT - GB-2050L
UNICODE FONT ENABLER - GS-1007NODE
META SCAN ENABLER - GS-1010NODE
EMBEDDED OCR ENABLER - GS-1080NODE

## Configuration



## About Toshiba Tec

Toshiba Tec Germany Imaging Systems GmbH is part of the globally operating Toshiba Tec Corporation, active in various high-tech industrial sectors.

Toshiba Tec Corporation is a leading provider of information technology, operating across multiple industries - ranging from retail, education and business services to hospitality and manufacturing. With headquarters in Japan and over 80 subsidiaries worldwide, Toshiba Tec Corporation helps organisations transform the way they create, record, share, manage and display information.

For more information please contact us:

### Toshiba Tec Germany Imaging Systems GmbH

Carl-Schurz-Str. 7  
41460 Neuss  
Germany

### Telephone

+49 2131-1245-0

### Fax

+49 2131-1245-402

### Website

[www.toshibatec.eu](http://www.toshibatec.eu)



**Together Information is Toshiba's vision for how people and organisations create, record, share, manage and display ideas and data.**

**It is based on our belief that the most successful organisations are those that communicate information in the most efficient way.**

**We make that possible through an integrated portfolio of industry specific solutions, all of which reflect Toshiba's commitment to the future of the planet.**

